




TARA SAFETY COVER ORDER FORM

A-B Point-to-Point

2294 Old Highway 431 • Owens Cross Roads, Al 35763
Ph: 256.725.2500 or 866.725.8272 • F: 877.333.8272 • WWW.TARAPOLS.COM

Date: _____ Due: _____

Indicate the Diagram that Best Describes the A-B Layout



Distance from "A" to "B" _____

Cross Dimension #1 From Point: _____ To Point: _____ Length: _____
Cross Dimension #2 From Point: _____ To Point: _____ Length: _____
Cross Dimension #3 From Point: _____ To Point: _____ Length: _____
Cross Dimension #4 From Point: _____ To Point: _____ Length: _____

****No Obstructions****

Check this box to confirm there are no obstructions like handrails, slides, waterfalls, or any areas where the deck is less than 3 feet wide.

If there are obstructions, Please indicate their location(s) in the section below.

Obstacles - Please Provide Description: Handrails, Slides, Waterfalls, Planter, etc.
Also, indicate areas where the deck is less than 3' wide.

	A	B	Description		A	B	Description
a				g			
b				h			
c				i			
d				j			
e				k			
f				l			

AB Measurements - All Measurements Pool Size/Not Cover Size
For Anchor Locations, Please Include a Point-to-Point of the Pool from the Same AB Points

	A	B		A	B		A	B
1			23			45		
2			24			46		
3			25			47		
4			26			48		
5			27			49		
6			28			50		
7			29			51		
8			30			52		
9			31			53		
10			32			54		
11			33			55		
12			34			56		
13			35			57		
14			36			58		
15			37			59		
16			38			60		
17			39			61		
18			40			62		
19			41			63		
20			42			64		
21			43			65		
22			44			66		

DISTRIBUTOR

Company: _____

Address: _____

CITY STATE ZIP

Contact: _____ Phone: _____

E-Mail: _____

SHIPPING INSTRUCTIONS

Branch: Dealer: Pick Up at Tara:

Ship Via: _____

Other: _____

ORDER INFORMATION

PO #: _____

Dealer: _____

Job Name: _____

MATERIAL/COLOR

Standard Mesh: (Green) (Blue) (Tan) (Gray)

HD Mesh: (Green) (Blue) (Tan) (Gray)

Solid w/Pump: (Green) (Blue) (Tan) (Gray)

Solid w/Drain Panel: (Green) (Blue) (Tan) (Gray)

Special Solid Coated: (Green)

SPECIAL REQUEST

* Custom Logo Label: (Please email logo to tkennedy@taramfg.com)

Ship w/out Pump: (For Solid Covers Only; ASTM-Required Pump Provided by Distributor)

Ship w/out Anchors: (For Replacement Covers - if you already have anchors)

SPECIAL OR EXTRA HARDWARE

Y-Strap: Qty. _____

Wood Deck Anchors: Length of Wood Deck _____

Beauty Rings: Entire Pool _____ or Qty. _____

Lawn Stakes: Length of Plant Bed or Grass Area _____

Paver/Lawn Tubes: Length of Paver Deck _____


Perimeter Padding: Entire Pool or From _____ to _____
POINT POINT

COMMENTS:

Point to Point Measurement Instructions

1. Establish two points, **A** and **B**, at least 20' or at least 2/3 the length of the pool apart by marking the pool deck or driving two stakes (be sure that these 2 points stay fixed and do not move). The **A** point should always be in the shallow end. Place the points far enough away from the pool that an imaginary line extending through **A** and **B** in both directions does not cross the perimeter. There should be a margin of at least 3' between the imaginary line and the pool perimeter (4' for pools over 44' long).
2. Using chalk or dot stickers begin marking points along the perimeter of the pool wall in a counterclockwise direction. The marks should be at 2' to 3' intervals. Mark sharp radius at 1' to 2' intervals. Straight lines can be marked at 3' to 4' intervals. Mark all corner points, ladders, hand-rails, grab-rails, slide legs, rocks, spillways, spa walls, fill spouts, etc.
3. Measure and record distance from point **A** to point #1, then point **A** to #2, and so on for all the # points around the pool. Then measure and record from point **B** to each of the # points around all of the pool. List all of the measurements in the correct blank on the next page.
4. Measure the length and width of the pool at the waterline using 2 of your numbered points for each.
5. Draw a freehand sketch of the pool indicating the inside dimensions. Include the "A-B" line location, deck area, planters and any obstructions within 3' of the waterline. Please indicate on the drawing which side **A** & **B** are on if you are standing at the shallow end. A photo of the pool is suggested when rocks, waterfalls, raised walls, spas or any other obstructions. It is recommended to take pictures of the numbered points at obstructions.

	A	B
1		
2	Complete All!	Complete All!
3		
4		
5		
6		
7		
8		
9		
10		
11		





TARA SAFETY COVER ORDER FORM

A-B Point-to-Point

2294 Old Highway 431 • Owens Cross Roads, Al 35763
Ph: 256.725.2500 or 866.725.8272 • F: 877.333.8272 • WWW.TARAPOLS.COM



Show Areas Where Available Deck is Less Than 4' from Waterline of Pool Including Coping

COMMENTS:
